



Фитинг Мод. 9593 6-M16×1,5-S01-C



РАЗМЕРЫ

Мод.	A	D	d	G	H	h	h1	L	SW	Вес (г)
9593 6-M16×1,5-S01-C	6×1	M16×1,5	M16×1,5	21	17	12,5	2,5	36	19	42


Фитинг прямой соединитель Мод. 9580



РАЗМЕРЫ

Мод.	A	F	L	Вес (г)
9580 6-C	6	14	37,5	21
9580 8-C	8	16	41	27
9580 10-C	10	18	44	33
9580 10/7	10/7	18	44	34
9580 12-C	12	20	45,5	43
9580 15-C	15	24	52	87
9580 15/11	15/11	24	52	87
9580 16-C	16	25	58	94
9580 16/12	16/12	25	58	100
9580 18	18	27	57	109


Фитинг прямой фланцевый проходной Мод. 9590



РАЗМЕРЫ

Мод.	A	D	d	C	F	G	H	H1	h max	L	N	α	SW	SW1	Вес (г)
9590 12-M20×1,5-S01-C	12×1,5	M20×1,5	10,1	-	20,5	24	26	-	2,5	42,5	15	45°	22	-	68

Фитинг прямой фланцевый проходной Мод. 9590




РАЗМЕРЫ

Мод.	A	D	d	C	F	G	H	H1	h max	L	N	α	SW	SW1	Бес (r)
9590 6-M10x1-S01-C	6x1	M10x1	6,4	-	14,5	14,5	20	-	3	40	8,6	30°	13	-	24

Фитинг прямой фланцевый проходной Мод. 9590


* = Поставляется без контргайки



РАЗМЕРЫ

Мод.	A	D	d	F	G	H	h	L	N	T	Y	Z	SW	SW1	Бес (r)
9590 8-M18x1,5-C	8x1	M18x1,5	9	-	25,5	50	10	55,5	11	15,7	37°	4	22	22	97,5
9590 12-M18x1,5-C	12x1,5	M18x1,5	9	20,5	25,5	34	4	53	11	16	30°	5	22	22	81
9590 12-M18x1,5-S01-C*	12x1,5	M18x1,5	9	20,5	25,5	34	4	53	11	16	30°	5	22	-	68
9590 12-M18x1,5-S04-C*	12x1,5	M18x1,5	9	20,5	25,5	33	4	52	11	15,7	37°	4	22	-	67,5


Фитинг прямой фланцевый проходной Мод. 9590



РАЗМЕРЫ

Мод.	A	D	d	C	F	G	H	H1	h max	L	SW	SW1	Бес (r)
9590 12-M16x1,5C-S01	12x1,5	M16x1,5	10,1	8,2	20,5	25,5	32	9	2,5	54	22	22	78


Фитинг прямой фланцевый проходной Мод. 9590



РАЗМЕРЫ

Мод.	A	A1	D	C	F	G	H	h min	h max	L	SW	SW1	Вес (г)
9590 6-M12×1-S01-C	6×1	6×1	M12×1	5	15	18,5	11,5	2	6	39	17	17	38
9590 8-M14×1-S01-C	8×1	8×1	M14×1	6,5	16	18,5	12	2	5,5	42	17	17	37


Фитинг прямой фланцевый проходной Мод. 9591



РАЗМЕРЫ

Мод.	A	A1	D	D1	C	F	G	H	h max	K	L	L1	L2	SW	SW1	Вес (г)
9591 12-12-M18×1,5-S01-C	12×1,5	12	M18×1,5	11,5	7	20,5	25,4	15	2,5	9	54	20	10	22	22	66,5


Фитинг прямой фланцевый проходной Мод. 9592



РАЗМЕРЫ

Мод.	A	A1	D	C	C1	F	G	H max	h min	L	SW	SW1	Вес (г)
9592 8-8-M18×1-C	8×1	8×1	M18×1	7,5	7	-	25,5	30	18	43,5	17	17	77
9592 12-8-M18×1-C	12×1,5	8×1	M18×1	5,5	7	20,5	25,5	30	18	57	17	17	90,5


Фитинг угловой Мод. 9555



РАЗМЕРЫ

Мод.	A	G	T	E	F	M	SW	Вес (г)
9555 6-6C	6	6	16,9	25	14,5	22,5	9	17
9555 8-8C	8	8	18,7	27,2	16,5	25	11	23
9555 12-12C	12	12	20,7	32,2	21	29,5	5	45


Фитинг тройник горизонтальный Мод. 9412



РАЗМЕРЫ

Мод.	A	A1	D	C	E	F	F1	G	H	L	M	SW	SW1	Вес (г)
9412 6-M10×1R	6×1	6×1	M10×1	6	23	14,5	14,5	16	7	45	22,5	9	14	32
9412 6-M12×1,5	6×1	6×1	M12×1,5	8,2	27,5	14,5	14,5	19	9	46	23	11	17	57
9412 6-M16×1,5C	6×1	6×1	M16×1,5	8,2	28	14,5	14,5	24	9	46	23	11	22	64,5
9412 6-M22×1,5TC	6×1	6×1	M22×1,5	8,2	32	14,5	14,5	30	9	49	24,5	15	27	87
9412 8-M12×1,5C	8×1	8×1	M12×1,5	8,2	27,5	14,5	14,5	19	9	50	25	11	17	59,5
9412 8-M16×1,5C	8×1	8×1	M16×1,5	8,2	28	14,5	14,5	24	9	50	25	11	22	67
9412 8-M22×1,5TC	8×1	8×1	M22×1,5	8,2	32	14,5	14,5	30	9	53	26,5	15	27	95,5
9412 10-M12×1,5R	10×1	10×1	M12×1,5	8,2	29	18,5	18,5	19	9	55	27,5	15	17	83
9412 10/7-M12×1,5R	10×1,5	10×1,5	M12×1,5	8,2	29	18,5	18,5	19	9	55	27,5	15	17	86
9412 10-M16×1,5R	10×1	10×1	M16×1,5	8,2	29	18,5	18,5	24	9	55	27,5	15	22	88
9412 10/7-M16×1,5R	10×1,5	10×1,5	M16×1,5	8,2	29	18,5	18,5	24	9	55	27,5	15	22	91
9412 10-M22×1,5TC	10×1	10×1	M22×1,5	8,2	32	18,5	18,5	30	9	55	27,5	15	27	100,5
9412 10/7-M22×1,5R	10×1,5	10×1,5	M22×1,5	8,2	32	18,5	18,5	30	9	55	27,5	15	27	103
9412 12-M12×1,5R	12×1,5	12×1,5	M12×1,5	8,2	29	20,5	20,5	19	9	57	28,5	15	17	77
9412 12-M16×1,5C	12×1,5	12×1,5	M16×1,5	8,2	29	20,5	20,5	24	9	57	28,5	15	22	83
9412 12-M22×1,5TC	12×1,5	12×1,5	M22×1,5	8,2	32	20,5	20,5	30	9	57	28,5	15	27	95,5
9412 12-8-M22×1,5TC	12×1,5	8×1	M22×1,5	8,2	32	20,5	16,5	30	9	55	26,5	15	27	94,5
9412 15-M16×1,5R	15×1,5	15×1,5	M16×1,5	8,2	33,5	24,5	24,5	24	9	68	34	18	22	129,5
9412 15/11-M16×1,5R	15×2	15×2	M16×1,5	8,2	33,5	24,5	24,5	24	9	68	34	18	22	135,5
9412 15-M22×1,5R	15×1,5	15×1,5	M22×1,5	8,2	34	24,5	24,5	30	9	68	34	18	27	140,5
9412 15/11-M22×1,5R	15×2	15×2	M22×1,5	8,2	34	24,5	24,5	30	9	68	34	18	27	146,5
9412 16-M16×1,5C	16×1,5	16×1,5	M16×1,5	8,2	33	25,5	25,5	24	9	74	37	19	22	135
9412 16-8-M22×1,5TC-S01	16×1,5	8×1	M22×1,5	8,2	34	25,5	16,5	30	9	65	28	19	27	140


Фитинг тройник горизонтальный Мод. 9412



РАЗМЕРЫ

Мод.	A	D	d	C	E	F	F1	G	H	H1 min	L	M	SW	SW1	Bec (r)
9412 8-M22×1,5-M22×1,5TC-S01	8×1	M22×1,5	M22×1,5	8,2	35	16,5	27	30	9	11	49	22,5	15	27	105
9412 12-M12×1,5-M22×1,5TC-S01	12×1,5	M22×1,5	M12×1,5	8,2	32	20,5	19	30	9	11	46,5	28,5	15	27	88,5
9412 12-M22×1,5-M16×1,5C-S01	12×1,5	M16×1,5	M22×1,5	8,2	33	20,5	27	24	9	11	51	22,5	15	22	95
9412 12-M22×1,5-M22×1,5TC	12×1,5	M22×1,5	M22×1,5	8,2	35	20,5	27	30	9	11	51	22,5	15	27	109,5
9412 16-M22×1,5-M16×1,5C-S01	16×1,5	M16×1,5	M22×1,5	8,2	33	25,5	27	24	9	11	61,5	24,5	19	22	125
9412 16-M22×1,5-M22×1,5TC-S01	16×1,5	M22×1,5	M22×1,5	8,2	34	25,5	27	30	9	11	61,5	24,5	19	27	132


Фитинг тройник горизонтальный Мод. 9410



РАЗМЕРЫ

Мод.	A	A1	D	E	F	F1	H	L	M	SW	Bec (r)
9410 6-02-C	6×1	6×1	1/8 NPTF	17,5	14,5	14,5	7	45	21,5	9	30,5
9410 05-02-C	8×1	8×1	1/8 NPTF	18	17	16,5	7	50	25	11	42


Фитинг тройник горизонтальный фланцевый Мод. 9410



РАЗМЕРЫ

Мод.	A	D	D1	d	E	F	H	h max	L	M	α	SW	SW1	Bec (r)
9410 12-M20×1,5-S01-C	12×1,5	M20×1,5	26	13,5	44,5	21	26	2,5	59	29,5	45°	22	15	115
9410 16-M20×1,5-C	16×1,5	M20×1,5	26	13,5	47	22,5	26	2,5	74	37	45°	22	19	155


Фитинг тройник горизонтальный фланцевый с внутренней резьбой Мод. 9410



РАЗМЕРЫ

Мод.	A	d	D	D1	d	E	F	F1	H	h max	h1 min	L	M	α	SW	SW1	Бес (r)
9410 12-M22×1,5-M20×1,5-S01-C	12×1,5	M22×1,5	M20×1,5	26	13,5	47,5	20,9	27	26	2,5	11	52	29,5	45°	22	15	124


Фитинг тройник вертикальный Мод. 9422



РАЗМЕРЫ

Мод.	A	A1	D	C	E	F	F1	G	H	L	M	SW	SW1	Бес (r)
9422 6-M10×1R	6×1	6×1	M10×1	6	23	14,5	14,5	16	7	45,5	22,5	9	14	37,5
9422 6-M12×1,5C	6×1	6×1	M12×1,5	8,2	27,5	14,5	14,5	19	9	50,5	23	11	17	57
9422 6-M16×1,5C	6×1	6×1	M16×1,5	8,2	28	14,5	14,5	24	9	51	23	11	22	63,5
9422 8-M12×1,5C	8×1	8×1	M12×1,5	8,2	27,5	17	17	19	9	52,5	25	11	17	59,5
9422 8-M16×1,5C	8×1	8×1	M16×1,5	8,2	28	17	17	24	9	53	25	11	22	67
9422 8-M22×1,5TC	8×1	8×1	M22×1,5	8,2	32	16,5	16,5	30	9	58,5	26,5	15	27	95
9422 10-M16×1,5C	10×1	10×1	M16×1,5	8,2	29	18,5	18,5	24	9	56,5	27,5	15	22	88
9422 10-M22×1,5R	10×1	10×1	M22×1,5	8,2	32	18,5	18,5	30	9	59,5	27,5	15	27	100
9422 12-M12×1,5R	12×1,5	12×1,5	M12×1,5	8,2	29	20,5	20,5	19	9	57,5	28,5	15	17	78
9422 12-M16×1,5C	12×1,5	12×1,5	M16×1,5	8,2	29	20,5	20,5	24	9	57,5	28,5	15	22	83
9422 12-8-M16×1,5C	12×1,5	8×1	M16×1,6	8,2	29	20,5	16,5	24	9	57,5	26,5	15	22	82
9422 12-M22×1,5TC	12×1,5	12×1,5	M22×1,5	8,2	32	20,5	20,5	30	9	60,5	28,5	15	27	99,5
9422 12-8-M22×1,5TC	12×1,5	8×1	M22×1,5	8,2	32	20,5	16,5	30	9	60,5	26,5	15	27	98,5
9422 15-M16×1,5R	15×1,5	15×1,5	M16×1,5	8,2	33,5	24,5	24,5	24	9	67,5	34	18	22	130
9422 15-M22×1,5R	15×1,5	15×1,5	M22×1,5	8,2	34	24,5	24,5	30	9	68	34	18	27	140,5
9422 16-M16×1,5C	16×1,5	16×1,5	M16×1,5	8,2	33	25,5	25,5	24	9	70	37	19	22	135
9422 16-M22×1,5TC	16×1,5	16×1,5	M22×1,5	8,2	34	25,5	25,5	30	9	71	37	19	27	155


Фитинг тройник вертикальный Мод. 9422 M12×1,5-10-M22×1,5TC-S01



РАЗМЕРЫ

Мод.	A	D	d	C	E	F	F1	G	H	h min	L	M	SW	SW1	Бес (r)
9422 M12×1,5-10-M22×1,5TC-S01	10×1	M22×1,5	M12×1,5	8,2	32	18,5	18,5	32	9	11	51,5	27,5	15	27	92,5


Фитинг тройник вертикальный Мод. 9422 M16×1,5-12-M22×1,5TC-S01



РАЗМЕРЫ

Мод.	A	D	D1	C	C1	E	F	G	G1	H	H1	L	M	SW	SW1	SW2	Бес (r)
9422 M16×1,5-12-M22×1,5TC-S01	12	M22×1,5	M16×1,5	8,2	8,2	32	20,5	30	24	9	9	61	28,5	15	27	22	105,5


Фитинг тройник вертикальный Мод. 9422 M20×1,5-12-M22×1,5TC-S01



РАЗМЕРЫ

Мод.	A	D1	D	d	C	E	F	G	H	h min	L	M	α	SW	SW1	Бес (r)
9422 M20×1,5-12-M22×1,5TC-S01	12×1,5	M20×1,5	M22×1,5	10,1	8,2	24,5	21	30	9	11	56,5	28,5	45°	15	27	102,5


Фитинг тройник F-образный Мод. 9402



РАЗМЕРЫ

Мод.	A	D	C	E	F	G	H	L	M	SW	SW1	Бес (r)
9402 12-M22×1,5TC	12×1,5	M22×1,5	8,2	30	21	30	9	49	29,5	15	27	115


Фитинг тройник Y-образный Мод. 9450



РАЗМЕРЫ

Мод.	A	D	C	F	G	H	L	SW	SW1	Бес (r)
9450 8-M16×1,5C	8×1	M16×1,5	8,2	31,5	24	9	49,3	14	22	71,5
9450 12-M16×1,5C	12×1,5	M16×1,5	8,2	40	24	9	59,2	20	22	130,5
9450 12-M22×1,5TC	12×1,5	M22×1,5	8,2	40	30	9	59,2	20	27	133
9450 16-M16×1,5C	16×1,5	M16×1,5	8,2	49,5	24	9	72,5	25	22	232
9450 16-M22×1,5TC	16×1,5	M22×1,5	8,2	49,5	30	9	72,5	25	27	228,5

Фитинг тройник навесной Мод. 9540




РАЗМЕРЫ

Мод.	A	A1	E	F	F1	L	M	SW	Бес (r)
9540 6-C	6×1	6×1	22,5	14,5	14,5	45	22,5	9	35,5
9540 8-C	8×1	8×1	25	17	17	50	25	11	53
9540 10-C	10×1	10×1	27,5	18,5	18,5	55	27,5	15	81
9540 12-C	12×1,5	12×1,5	28,5	20,5	20,5	57	28,5	15	73,5
9540 15-C	15×1,5	15×1,5	34	24,5	24,5	68	34	18	129
9540 15/11	15×2	15×2	34	24,5	24,5	68	34	18	137
9540 16-C	16×1,5	16×1,5	37	25,5	25,5	74	37	19	138
9540 8-8-6-C	8×1	6×1	23	17	14,5	50	25	11	50
9540 12-12-8-C	12×1,5	8×1	26,5	20,5	16,5	57	28,5	15	72


Фитинги шарнирные

Шарнир с резьбой Мод. D2912



* = можно использовать с анти-поворотным кольцом Мод. 9707

РАЗМЕРЫ								
Мод.	B	D	E	G	H	L	SW	Вес (г)
D2912 C1-M10×1B	C1	M10×1	14,3	18,5	8	29,3	17	22
D2912 C1-M12×1,5B	C1	M12×1,5	14,5	20	9	29,5	18	22,5
D2912 C1-M14×1,5B	C1	M14×1,5	14,5	22	9	29,5	20	25
D2912 C1-M16×1,5B/1*	C1	M16×1,5	15,8	25	9	30,8	22	34
D2912 C1-M22×1,5B/1	C1	M22×1,5	16,3	32	9	31,3	28	48



* = можно использовать с анти-поворотным кольцом Мод. 9707


РАЗМЕРЫ								
Мод.	B	D	E	G	H	L	SW	Вес (г)
D2912 C1-M10×1	C1	M10×1	14,3	18,5	7	29,3	17	24
D2912 C1-M12×1,5	C1	M12×1,5	17,3	18,5	10	32,3	17	27
D2912 C1-M14×1,5	C1	M14×1,5	17,3	18,5	10	32,3	17	29
D2912 C1-M16×1,5	C1	M16×1,5	17,3	18,5	10	32,3	17	31
D2912 C1-M16×1,5/1*	C1	M16×1,5	17,3	25	10	32,3	22	36
D2912 C1-M22×1,5/1*	C1	M22×1,5	17,3	27	10	32,3	24	44

Шарнир проходной с резьбой Мод. D2993

Новинка



Поставляется без гайки;
Комбинировать с D1593




* = можно использовать с анти-поворотным кольцом Мод. 9707; сравнить SW.

РАЗМЕРЫ										
Мод.	B	D	D1	G	H	h	h1	L	SW	Вес (г)
D2993 C1-M16×1,5-M22×1,5/1*	C1	M22×1,5	M16×1,5	32	21	2,5	10,5	42	28	75

Шарнир проходной с цангой Мод. 9919

Новинка


Поставляется без гайки;
Комбинировать с D1593



* можно использовать с анти-поворотным кольцом Мод. 9707; сравнить SW.

РАЗМЕРЫ									
Мод.	A	B	D	G	H	h	L	SW	Вес (г)
9919 C1-8-M20×1,5/1*	8×1	C1	M20×1,5	25	21	2,5	42	22	71
9919 C1-12-M24×1,5/1*	12×1,5	C1	M24×1,5	32	21	2,5	42	28	90


Анти-поворотное кольцо Мод. 9707



РАЗМЕРЫ				
Мод.	H	D	SW	Вес (г)
9707 22-C1	11	31,7	22	4
9707 24-C1	11	31,7	24	4

Поворотный угловой фитинг Мод. 9520

Комбинируется с резьбовым шарниром
Мод. D2912




РАЗМЕРЫ							
Мод.	A	B	E	F	G	M	Вес (г)
9520 6-C1	6×1	C1	19,5	14,5	22	26	32
9520 8-C1	8×1	C1	19,5	16,5	22	28	32
9520 10-C1	10×1	C1	19,5	18,5	22	30	42
9520 12-C1	12×1,5	C1	19,5	20,5	22	31	42
9520 15-C1	15×1,5	C1	21,5	24	22	34	62

Поворотный горизонтальный тройник Мод. 9430



Комбинируется с резьбовым шарниром
Мод. D2912




РАЗМЕРЫ

Мод.	A	B	E	F	G	L	M	Вес (г)
9430 6-C1	6×1	C1	19,5	14,5	22	4	2	46
9430 8-C1	8×1	C1	19,5	16,5	22	56	28	46
9430 10-C1	10×1	C1	19,5	18,5	22	60	30	64
9430 12-C1	12×1,5	C1	19,5	20,5	22	62	31	64
9430 15-C1	15×1,5	C1	21,5	24	22	68	34	101

Поворотный вертикальный тройник Мод. 9440



Комбинируется с резьбовым шарниром
Мод. D2912




РАЗМЕРЫ

Мод.	A	B	E	F	G	L	M	Вес (г)
9440 6-C1	6×1	C1	19,5	14,5	22	45,5	26	47
9440 8-C1	8×1	C1	19,5	16,5	22	47,5	28	47
9440 10-C1	10×1	C1	19,5	18,5	22	49,5	30	67
9440 12-C1	12×1,5	C1	19,5	20,5	22	50,5	31	67
9440 15-C1	15×1,5	C1	21,5	24	22	55,5	34	100

Поворотный резьбовой угольник Мод. D2220



Комбинируется с резьбовым шарниром
Мод. D2912




РАЗМЕРЫ

Мод.	d	B	E	F	G	h (мин)	M	SW	Вес (г)
D2220 M12×1,5-C1	M12×1,5	C1	22,5	21	22	10,5	18,5	20	50
D2220 M16×1,5-C1	M16×1,5	C1	22,5	21	22	10,5	18,5	20	39

Поворотный резьбовой тройник Мод. D2260



Комбинируется с резьбовым шарниром
Мод. D2912




РАЗМЕРЫ

Мод.	d	B	E	F	G	h (мин)	L	M	SW	Вес (г)
D2260 M12×1,5-C1	M12×1,5	C1	22,5	21	22	10,5	37	18,5	20	73
D2260 M16×1,5-C1	M16×1,5	C1	22,5	21	22	10,5	37	18,5	20	52

Поворотный резьбовой тройник Мод. D2270



Комбинируется с резьбовым шарниром
Мод. D2912



РАЗМЕРЫ


Мод.	d	B	E	F	G	h (мин)	L	M	SW	Вес (г)
D2270 M12×1,5-C1	M12×1,5	C1	22,5	21	22	10,5	41	18,5	20	73
D2270 M16×1,5-C1	M16×1,5	C1	22,5	21	22	10,5	41	18,5	20	52

Поворотный резьбовой угольник 135° Мод. D2210

Новинка



Не совместим с анти-поворотным кольцом
Мод. 9707, препятствующим вращению




РАЗМЕРЫ

Мод.	d	B	E	F	G	h (мин)	L	M	SW	Вес (г)
D2210 M16×1,5-C1	M16×1,5	C1	28	21	19,5	10,5	53	28	20	50

Фитинги и аксессуары

Фитинг Мод. D2502 и D2512



РАЗМЕРЫ


Мод.	D	D1	d	d1	C	C1	G	G1	H	H1	h	h1	L	SW	SW1	Вес (г)
D2512 M22×1,5TC-M16×1,5C	M22×1,5	M16×1,5	M16×1,5	M10×1	8,2	8,5	30	25,5	9	10	10,5	-	49,5	27	22	88
D2502 M22×1,5TC-M22×1,5C-M16×1,5-L=39	M22×1,5	M22×1,5	M16×1,5	M16×1,5	8,2	8,5	30	28	9	10	10,5	10,5	40,5	27	24	79,5
D2502 M22×1,5TC-M22×1,5C	M22×1,5	M22×1,5	-	-	8,2	8,5	30	28	9	10	-	-	40,5	27	24	84
D2502 M22×1,5-M22×1,5-S	M22×1,5	M22×1,5	M16×1,5	M16×1,5	8,2	8,5	30	28	9	10	10,5	10,5	49,5	27	24	96

Фитинг проходной с внутренней резьбой Мод. D2592

Новинка



Поставляется без гайки;
Комбинировать с D1593



РАЗМЕРЫ


Мод.	D	D1	d1	G	H	H1	h	h1	L	SW	Вес (г)
D2592 M10×1-M16×1,5B-M16×1,5	M16×1,5	M16×1,5	M10×1	24	9	20	2	34,5	34,5	22	43
D2592 M16×1,5-M16×1,5B-M22×1,5	M16×1,5	M22×1,5	M16×1,5	31	9	24	2	20	40	28	72
D2592 M16×1,5-M22×1,5B-M22×1,5	M22×1,5	M22×1,5	M16×1,5	31	9	24	2	39	39	28	75

Фитинг проходной Мод. D2593

Новинка




Поставляется без гайки;
Комбинировать с D1593



РАЗМЕРЫ

Мод.	D	D1	G	h	H	L	SW	Вес (г)
D2593 M12×1,5-M18×1,5	M18×1,5	M12×1,5	25	24,5	2,5	30	22	45
D2593 M16×1,5-M22×1,5	M22×1,5	M16×1,5	31	24,5	2,5	30	28	62
D2593 M22×1,5-M28×1,5	M28×1,5	M22×1,5	35	24,5	2,5	30	32	80


Переходник Мод. D2520



РАЗМЕРЫ

Мод.	D	d	d1	C	G	H	h min	L	SW	Бес (r)
D2520 04-M16×1,5	1/4 NPTF	M16×1,5	8,5	8	21	12	10,5	28	19	31


Переходник Мод. D2522



РАЗМЕРЫ

Мод.	d	D	G	H	h min	L	SW	Бес (r)
D2522 M10×1C-M16×1,5	M16×1,5	M10×1	21	7	10,5	25,5	19	28,5
D2522 M14×1,5-M16×1,5M01	M16×1,5	M14×1,5	25	10	10	26	22	32,5
D2522 M12×1,5-M16×1,5	M16×1,5	M12×1,5	21	10	10,5	29	19	29
D2522 M16×1,5N-M16×1,5	M16×1,5	M16×1,5	21	10	10,5	27,5	19	30
D2522 M16×1,5C-M22×1,5	M22×1,5	M16×1,5	27	10	11	30,5	24	46


Переходник Мод. D2532



РАЗМЕРЫ

Мод.	D	d	G	H	h	L	SW	Бес (r)
D2532 M16×1,5C-M12×1,5	M16×1,5	M12×1,5	20,5	10	11	25	17	25
D2532 M16×1,5C-M14×1,5	M16×1,5	M14×1,5	20,5	10	10	25	19	27
D2532 M16×1,5-04-S01	M16×1,5	1/4 NPTF	20,5	10	12	28	19	38,5
D2532 M22×1,5C-M12×1,5	M22×1,5	M12×1,5	26,5	10	11	17,5	24	42,5
D2532 M22×1,5C-M16×1,5	M22×1,5	M16×1,5	26,5	10	10,5	17,5	24	31
D2532 M26×1,5C-M22×1,5C	M26×1,5	M22×1,5	30	9	11	25	27	57

Переходник Мод. D2543




РАЗМЕРЫ

Мод.	d	C	G	L	L1	SW	Вес (г)
D2543 M16×1,5-C	M16×1,5	8	21	23	7,5	19	30

Переходник Мод. D2543

Новинка




РАЗМЕРЫ

Мод.	D	L	SW	Вес (г)
D2543 M10×1/1	M10×1	22	18	39
D2543 M12×1,5/1	M12×1,5	22	18	35
D2543 M16×1,5/1	M16×1,5	22	22	45
D2543 M22×1,5/1	M22×1,5	26	28	73

Ниппель под резиновый рукав Мод. D2602

Новинка




РАЗМЕРЫ

Мод.	A	D	G	H	L	L1	L2	SW	Вес (г)
D2602 10-M16×1,5B	11,3	M16×1,5	24	9	46,5	32	10,2	22	31,5
D2602 10-M22×1,5B	11,3	M22×1,5	31	9	47	32	10,2	28	47
D2602 11-M16×1,5B	12,4	M16×1,5	24	9	46,5	32	10,7	22	32,5
D2602 11-M22×1,5B	12,4	M22×1,5	31	9	47	32	10,7	28	48,5
D2602 12-M16×1,5B	13,4	M16×1,5	24	9	46,5	32	10,7	22	34
D2602 12-M22×1,5B	13,4	M22×1,5	31	9	47	32	10,7	28	50
D2602 13-M16×1,5B	14,3	M16×1,5	24	9	49,5	35	10,2	22	36
D2602 13-M22×1,5B	14,3	M22×1,5	31	9	50	35	10,2	28	51,5


Фитинг переходник под резиновый рукав Мод. D2602

* = Покрытие – никель, уплотнение – VITON




РАЗМЕРЫ											
Мод.	A	D	d	C	G	H	L	L1	L2	SW	Вес (г)
D2602 10-M16×1,5C-L=30	11	M16×1,5	7,5	5	17	10	47,5	30	10	14	26,5
D2602 11,5-M16×1,5C-L=35	12,5	M16×1,5	9	5	17	10	52,5	35	10	14	27
D2602 12-M16×1,5C	12,5	M16×1,5	9	5	17	10	37,5	20	10	14	22
D2602 12-M22×1,5C	12,5	M22×1,5	9	5	23	10	38	20	10	14	35,5
D2602 13-M16×1,5-S01-C	15,5	M16×1,5	10	7	25,5	9	56	40	10	22	50
D2602 13-M16×1,5C-S02*	14	M16×1,5	10	5	19,6	10	47	30	10	17	29,5

Фитинг Мод. D2602 13-M16×1,5-S03-C




Заглушка с внутренним шестигранником Мод. D2612



РАЗМЕРЫ						
Мод.	D	H	L	G	SW	Вес (г)
D2612 M12×1,5C	M12×1,5	10	12	13	6	6,5
D2612 M16×1,5C	M16×1,5	10	12,5	17	8	13
D2612 M22×1,5C	M22×1,5	10	13	23	12	26

Заглушка с наружным шестигранником Мод. D2612


Новинка



РАЗМЕРЫ

Мод.	D	H	L	G	SW	Вес (г)
D2612 M10×1,5B	M10×1,5	8	13	18	16	12
D2612 M12×1,5B	M12×1,5	9	14,5	20	18	15
D2612 M16×1,5B	M16×1,5	9	14,5	24	22	25
D2612 M22×1,5B	M22×1,5	9	15	31	28	37


Фитинг угловой Мод. D1022



РАЗМЕРЫ

Мод.	A	D	d	C	E	G	H	h min	M	N	T	Y	Z	SW	SW1	Вес (г)
D1022 M18×1,5-M16×1,5C-74	M18×1,5	M16×1,5	9	8,2	28,5	24	9	14,5	28,5	10,8	15,7	37°	4	15	22	66,5


Фитинг угловой Мод. D2012



РАЗМЕРЫ

Мод.	A	D	d	C	E	G	H	M	α	SW	SW1	Вес (г)
D2012 M20×1,5-M16×1,5C-S01	M20×1,5	M16×1,5	10,1	8,2	33	24	9	29	45°	15	22	72


Фитинг угловой Мод. D2013



РАЗМЕРЫ

Мод.	d	E	F	G	h min	M	SW	Bec (r)
D2013 M16×1,5	M16×1,5	28	21	21	10,5	26,5	15	59


Фитинг угловой Мод. D2022



РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	h	M	SW	SW1	Bec (r)
D2022 M16×1,5-M16×1,5C	M16×1,5	M16×1,5	8,2	28,5	21	24	9	10,5	26,5	15	22	60,5
D2022 M16×1,5-M22×1,5TC	M16×1,5	M22×1,5	8,2	30	21	30	9	10,5	26,5	15	27	71
D2022 M22×1,5-M22×1,5TC	M22×1,5	M22×1,5	8,2	33	27	30	9	11	22	24	27	88
D2022 M22×1,5-M22×1,5TC-FVMQ	M22×1,5	M22×1,5	8,2	33	27	30	9	11	22	24	27	88
D2022 M22×1,5-M22×1,5TC-FVMQ-S01	M22×1,5	M22×1,5	8,2	33	27	30	9	11	32	21	27	117
D2022 M22×1,5-M22×1,5TC-FVMQ-S02	M22×1,5	M22×1,5	8,2	60,5	27	30	9	11	32,5	20	27	130



Фитинг угловой ориентируемый Мод. D2222



РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	h min	M	SW	SW1	Bec (r)
D2222 M16×1,5-M16×1,5C	M16×1,5	M16×1,5	7,3	29,8	21	19,6	10	10,5	26,5	15	17	54

Фитинг угловой фланцевый проходной Мод. KD2022




РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	H1	h min	h1 min	M	SW	SW1	SW2	Бес (r)
KD2022 M12×1,5-M12×1,5-S01	M12×1,5	M12×1,5	7	50	16,5	19,6	37	7,5	10,5	2,5	22	14	17	17	60

Фитинг угловой под резиновый рукав Мод. D2625



* = Размеры для справок



РАЗМЕРЫ

Мод.	A	D	D1	d	B	B1	C	E	G	H	M	SW	SW1	Бес (r)
D2625 18-M22×1,5TC-FVMQ-S01	18	M22×1,5	20	14	23*	5*	8,2	34	30	9	35	18	27	90
D2625 22-M22×1,5TC-FVMQ-S01	22	M22×1,5	24	18	22*	5*	8,2	34	30	9	35	18	27	94
D2625 22-M26×1,5C-FVMQ-S01	22	M26×1,5	24	20	23,5	4	8,2	44	37?	9	40	24	32	110


Фитинг тройник горизонтальный Мод. D1002



РАЗМЕРЫ

Мод.	A	D	d	C	E	G	H	h min	L	M	N	T	Y	Z	SW	SW1	Бес (r)
D1002 M18×1,5-M16×1,5C-74	M18×1,5	M16×1,5	9	8,2	28,5	24	9	14,5	57	28,5	10,8	15,7	37°	4	15	22	66,5


Фитинг тройник горизонтальный Мод. D2062



РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	h	M	SW	SW1	Bec (r)
D2062 M16×1,5-M12×1,5R	M16×1,5	M12×1,5	8,2	29,5	21	19	9	10,5	26,5	15	17	77
D2062 M16×1,5-M16×1,5C	M16×1,5	M16×1,5	8,2	30	21	24	9	12,5	18,5	20	22	70
D2062 M16×1,5-M22×1,5TC	M16×1,5	M22×1,5	8,2	32	21	30	9	10,5	18,5	20	27	84,5
D2062 M22×1,5-M22×1,5R	M22×1,5	M22×1,5	8,2	33	21	30	9	11	32	20	27	131


Фитинг тройник горизонтальный Мод. D2062



РАЗМЕРЫ

Мод.	d	D	D1	d1	C	E	F	G	H	H1 min	h min	L	M	α	SW	SW1	Bec (r)
D2062 M22×1,5-M20×1,5-M16×1,5C	M22×1,5	M16×1,5	M20×1,5	10,1	8,2	33	27	25,4	9	12	11	50	27,5	30°	15	22	102


Фитинг тройник вертикальный Мод. D1012



РАЗМЕРЫ

Мод.	A	D	d	C	E	G	H	h min	L	M	N	T	Y	Z	SW	SW1	Bec (r)
D1012 M18×1,5-M16×1,5C-74	M18×1,5	M16×1,5	9	8,2	29	24	9	14,5	57,5	28,5	10,8	15,7	37°	4	15	22	95,5


Фитинг тройник вертикальный Мод. D2072



РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	h	M	SW	SW1	Вес (г)
D2072 M12×1,5-M10×1	M12×1,5	M10×1	5	22,5	17	16	5	10,5	26,5	11	14	55
D2072 M16×1,5-M12×1,5R	M16×1,5	M12×1,5	8,2	29,5	21	19	9	10,5	26,5	15	17	75
D2072 M16×1,5-M16×1,5C	M16×1,5	M16×1,5	8,2	30	21	24	9	10	18,5	20	22	70
D2072 M16×1,5-M22×1,5TC	M16×1,5	M22×1,5	8,2	32	21	30	9	10	18,5	20	27	82
D2072 M22×1,5-M22×1,5TC	M22×1,5	M22×1,5	8,2	33	27	30	9	11	32	20	27	131


Фитинг тройник навесной Мод. D1210 с конусом



РАЗМЕРЫ

Мод.	A	d	E	h min	L	M	N	T	Y	Z	SW	Вес (г)
D1210 M18×1,5-74-C	M18×1,5	9	28,5	14,5	57	28,5	10,8	15,7	37°	4	15	93

Фитинг тройник горизонтальный фланцевый Мод. D1210



РАЗМЕРЫ


Мод.	A	d	D1	E	h min	h1 max	L	M	N	T	Y	Z	SW	SW1	Вес (г)
D1210 M18×1,5-74-S01-C	M18×1,5	9	26	45,5	14,5	2,5	57	28,5	10,8	15,7	37°	4	15	22	126

Фитинг тройник Мод. D2003



РАЗМЕРЫ

Мод.	d	E	F	G	h	M	L	SW	Бес (r)
D2003 M16×1,5-C	M16×1,5	18,5	21	21	10	18,5	37	20	48,5
D2003 M22×1,5	M22×1,5	32	27	27	11	32	64	20	119




Фитинг тройник навесной Мод. D2003...S01



РАЗМЕРЫ

Мод.	d	E	F	G	h	M	L	N	O	P	R	SW	Бес (r)
D2003 M16×1,5-S01	M16×1,5	18,5	21	21	10,5	18,5	37	5	18	2	9	21	68




Фитинг крестообразный Мод. D2032



РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	h	L	L1	M	SW	SW1	Бес (r)
D2032 M16×1,5-M16×1,5R	M16×1,5	M16×1,5	8,2	29,5	21	24	9	10,5	56	57,5	28	16	22	110,5
D2032 M16×1,5-M22×1,5R	M16×1,5	M22×1,5	8,2	30	21	30	9	10,5	56	58	28	16	27	137




Фитинг угловой Мод. D2077




РАЗМЕРЫ

Мод.	d	D	C	E	F	G	H	h	M	SW	Бес (r)
D2077 M16×1,5-M16×1,5R	M16×1,5	M16×1,5	8,2	35	21	24	9	10,5	22	22	94,5
D2077 M16×1,5-M22×1,5R	M16×1,5	M22×1,5	8,2	35,5	21	30	9	10,5	22	27	98



Тройник с VPC горизонтальный Мод. D2062...-...V

* = Размеры для справок




РАЗМЕРЫ

Мод.	A	D1	D	C	E	F*	G*	H	L	M	SW	SW1	Вес (г)
D2062 6-M12×1,5-V	6×1	M16×1,5	M12×1,5	8,2	36	13,8	19	9	81,5	29,5	15	17	127,5
D2062 8-M12×1,5-V	8×1	M16×1,5	M12×1,5	8,2	45	16,5	19	9	90,5	29,5	15	17	139,5
D2062 10-M12×1,5-V	10×1	M16×1,5	M12×1,5	8,2	46	17,8	19	9	91,5	29,5	15	17	139
D2062 12-M12×1,5-V	12×1,5	M16×1,5	M12×1,5	8,2	50,5	19,8	19	9	96	29,5	15	17	147
D2062 6-M16×1,5-V	6×1	M16×1,5	M16×1,5	8,2	28	13,8	24	9	65,5	30	20	22	120,5
D2062 8-M16×1,5-V	8×1	M16×1,5	M16×1,5	8,2	37	16,5	24	9	74,5	30	20	22	132,5
D2062 10-M16×1,5-V	10×1	M16×1,5	M16×1,5	8,2	38	17,8	24	9	75,5	30	20	22	132
D2062 12-M16×1,5-V	12×1,5	M16×1,5	M16×1,5	8,2	42,5	19,8	24	9	80	30	20	22	140
D2062 15-M16×1,5-V	15×1,5	M16×1,5	M16×1,5	8,2	47,5	23,8	24	9	85	30	20	22	156,5
D2062 6-M22×1,5-V	6×1	M16×1,5	M22×1,5	8,2	28	13,8	30	9	65,5	32	20	27	135
D2062 8-M22×1,5-V	8×1	M16×1,5	M22×1,5	8,2	37	16,5	30	9	74,5	32	20	27	147
D2062 10-M22×1,5-V	10×1	M16×1,5	M22×1,5	8,2	38	17,8	30	9	75,5	32	20	27	146,5
D2062 12-M22×1,5-V	12×1,5	M16×1,5	M22×1,5	8,2	42,5	19,8	30	9	80	32	20	27	154,5
D2062 15-M22×1,5-V	15×1,5	M16×1,5	M22×1,5	8,2	47,5	23,8	30	9	85	32	20	27	171

Тройник с VPC горизонтальный Мод. D2062 R...-...V

* = Размеры для справок




РАЗМЕРЫ

Мод.	A	D	D1	C	E	G*	H	L	L1	M	SW	SW1	Вес (г)
D2062 R10-M12×1,5-V	10	M12×1,5	M16×1,5	8,2	34	19	9	79,5	30	29,5	15	17	137
D2062 R11-M12×1,5-V	11	M12×1,5	M16×1,5	8,2	34	19	9	79,5	35	29,5	15	17	137
D2062 R12-M12×1,5-V	12	M12×1,5	M16×1,5	8,2	34	19	9	79,5	20	29,5	15	17	132
D2062 R13-M12×1,5-V	13	M12×1,5	M16×1,5	8,2	33,5	19	9	73	30	29,5	15	17	139,5
D2062 R10-M16×1,5-V	10	M16×1,5	M16×1,5	8,2	26	24	9	63,5	30	30	20	22	130
D2062 R11-M16×1,5-V	11	M16×1,5	M16×1,5	8,2	26	24	9	63,5	35	30	20	22	130
D2062 R12-M16×1,5-V	12	M16×1,5	M16×1,5	8,2	26	24	9	63,5	20	30	20	22	125
D2062 R13-M16×1,5-V	13	M16×1,5	M16×1,5	8,2	25,5	24	9	63	30	30	20	22	132
D2062 R11-M22×1,5-V	11	M22×1,5	M16×1,5	8,2	26	30	9	63,5	35	32	20	27	144,5
D2062 R12-M22×1,5-V	12	M22×1,5	M16×1,5	8,2	26	30	9	63,5	20	32	20	27	139,5
D2062 R13-M22×1,5-V	13	M22×1,5	M16×1,5	8,2	25,5	30	9	63	30	32	20	27	147

Тройник с VPS вертикальный D2072 ...-...-V01


* = Размеры для справок



РАЗМЕРЫ													
Мод.	A	D	D1	C	E	F*	G*	H	L	M	SW	SW1	Вес (г)
D2072 6-M12×1,5-V01	6×1	M12×1,5	M16×1,5	8,2	29,5	13,8	19	9	72	36	15	17	125,5
D2072 8-M12×1,5-V01	8×1	M12×1,5	M16×1,5	8,2	29,5	16,5	19	9	72	45	15	17	137,5
D2072 10-M12×1,5-V01	10×1	M12×1,5	M16×1,5	8,2	29,5	17,8	19	9	72	46	15	17	137
D2072 12-M12×1,5-V01	12×1,5	M12×1,5	M16×1,5	8,2	29,5	19,8	19	9	72	50,5	15	17	145
D2072 6-M16×1,5-V01	6×1	M16×1,5	M16×1,5	8,2	30	13,8	24	9	72	28	20	22	120,5
D2072 8-M16×1,5-V01	8×1	M16×1,5	M16×1,5	8,2	30	16,5	24	9	72	37	20	22	132,5
D2072 10-M16×1,5-V01	10×1	M16×1,5	M16×1,5	8,2	30	17,8	24	9	72	38	20	22	132
D2072 12-M16×1,5-V01	12×1,5	M16×1,5	M16×1,5	8,2	30	19,8	24	9	72	42,5	20	22	140
D2072 15-M16×1,5-V01	15×1,5	M16×1,5	M16×1,5	8,2	30	23,8	24	9	72	47,5	20	22	156,5
D2072 6-M22×1,5-V01	6×1	M22×1,5	M16×1,5	8,2	32	13,8	30	9	72	28	20	27	133
D2072 8-M22×1,5-V01	8×1	M22×1,5	M16×1,5	8,2	32	16,5	30	9	72	37	20	27	145
D2072 10-M22×1,5-V01	10×1	M22×1,5	M16×1,5	8,2	32	17,8	30	9	72	38	20	27	144,5
D2072 12-M22×1,5-V01	12×1,5	M22×1,5	M16×1,5	8,2	32	19,8	30	9	72	42,5	20	27	152,5
D2072 15-M22×1,5-V01	15×1,5	M22×1,5	M16×1,5	8,2	32	23,8	30	9	72	47,5	20	27	169

Тройник с VPS вертикальный D2072 ...-...-V02


* = Размеры для справок



РАЗМЕРЫ													
Мод.	A	D	D1	C	E	F*	G*	H	L	M	SW	SW1	Вес (г)
D2072 6-M12×1,5-V02	6×1	M12×1,5	M16×1,5	8,2	29,5	13,8	19	9	65,5	75	15	17	125,5
D2072 8-M12×1,5-V02	8×1	M12×1,5	M16×1,5	8,2	29,5	16,5	19	9	74,5	75	15	17	137,5
D2072 10-M12×1,5-V02	10×1	M12×1,5	M16×1,5	8,2	29,5	17,8	19	9	75,5	75	15	17	137
D2072 12-M12×1,5-V02	12×1,5	M12×1,5	M16×1,5	8,2	29,5	19,8	19	9	80	75	15	17	145
D2072 6-M16×1,5-V02	6×1	M16×1,5	M16×1,5	8,2	30	13,8	24	9	58	67,5	20	22	120,5
D2072 8-M16×1,5-V02	8×1	M16×1,5	M16×1,5	8,2	30	16,5	24	9	67	67,5	20	22	132,5
D2072 10-M16×1,5-V02	10×1	M16×1,5	M16×1,5	8,2	30	17,8	24	9	68	67,5	20	22	132
D2072 12-M16×1,5-V02	12×1,5	M16×1,5	M16×1,5	8,2	30	19,8	24	9	72,5	67,5	20	22	140
D2072 15-M16×1,5-V02	15×1,5	M16×1,5	M16×1,5	8,2	30	23,8	24	9	77,5	67,5	20	22	156,5
D2072 6-M22×1,5-V02	6×1	M22×1,5	M16×1,5	8,2	32	13,8	30	9	60	69,5	20	27	133
D2072 8-M22×1,5-V02	8×1	M22×1,5	M16×1,5	8,2	32	16,5	30	9	69	69,5	20	27	145
D2072 10-M22×1,5-V02	10×1	M22×1,5	M16×1,5	8,2	32	17,8	30	9	70	69,5	20	27	144,5
D2072 12-M22×1,5-V02	12×1,5	M22×1,5	M16×1,5	8,2	32	19,8	30	9	74,5	69,5	20	27	152,5
D2072 15-M22×1,5-V02	15×1,5	M22×1,5	M16×1,5	8,2	32	23,8	30	9	79,5	69,5	20	27	169

Тройник с VPC вертикальный D2072 R...-...-V01

* = Размеры для справок




РАЗМЕРЫ

Мод.	A	D	D1	C	E	G*	H	L	L1	M	SW	SW1	Бес (r)
D2072 R10-M12×1,5-V01	10	M12×1,5	M16×1,5	8,2	29,5	19	9	75	30	34	15	17	135
D2072 R11-M12×1,5-V01	11	M12×1,5	M16×1,5	8,2	29,5	19	9	75	35	34	15	17	135
D2072 R12-M12×1,5-V01	12	M12×1,5	M16×1,5	8,2	29,5	19	9	75	20	34	15	17	130
D2072 R13-M12×1,5-V01	13	M12×1,5	M16×1,5	8,2	29,5	19	9	75	30	33,5	15	17	137
D2072 R10-M16×1,5-V01	10	M16×1,5	M16×1,5	8,2	30	24	9	67,5	30	26	20	22	130
D2072 R11-M16×1,5-V01	11	M16×1,5	M16×1,5	8,2	30	24	9	67,5	35	26	20	22	130
D2072 R12-M16×1,5-V01	12	M16×1,5	M16×1,5	8,2	30	24	9	67,5	20	26	20	22	125
D2072 R13-M16×1,5-V01	13	M16×1,5	M16×1,5	8,2	30	24	9	67,5	30	25,5	20	22	132,5
D2072 R11-M22×1,5-V01	11	M22×1,5	M16×1,5	8,2	32	30	9	69,5	35	26	20	27	142
D2072 R12-M22×1,5-V01	12	M22×1,5	M16×1,5	8,2	32	30	9	69,5	20	26	20	27	137
D2072 R13-M22×1,5-V01	13	M22×1,5	M16×1,5	8,2	32	30	9	69,5	30	25,5	20	27	145

Тройник с VPC вертикальный D2072 R...-...-V02

* = Размеры для справок



РАЗМЕРЫ

Мод.	A	D	D1	C	E	G*	H	L	L1	M	SW	SW1	Бес (r)
D2072 R10-M12×1,5-V02	10	M12×1,5	M16×1,5	8,2	29,5	19	9	63,5	30	34	15	17	135
D2072 R11-M12×1,5-V02	11	M12×1,5	M16×1,5	8,2	29,5	19	9	63,5	35	34	15	17	135
D2072 R12-M12×1,5-V02	12	M12×1,5	M16×1,5	8,2	29,5	19	9	63,5	20	34	15	17	130
D2072 R13-M12×1,5-V02	13	M12×1,5	M16×1,5	8,2	29,5	19	9	63	30	33,5	15	17	137
D2072 R10-M16×1,5-V02	10	M16×1,5	M16×1,5	8,2	30	24	9	56	30	26	20	22	130
D2072 R11-M16×1,5-V02	11	M16×1,5	M16×1,5	8,2	30	24	9	56	35	26	20	22	130
D2072 R12-M16×1,5-V02	12	M16×1,5	M16×1,5	8,2	30	24	9	56	20	26	20	22	125
D2072 R13-M16×1,5-V02	13	M16×1,5	M16×1,5	8,2	30	24	9	55,5	30	25,5	20	22	132,5
D2072 R11-M22×1,5-V02	11	M22×1,5	M16×1,5	8,2	32	30	9	58	35	26	20	27	142
D2072 R12-M22×1,5-V02	12	M22×1,5	M16×1,5	8,2	32	30	9	58	20	26	20	27	137
D2072 R13-M22×1,5-V02	13	M22×1,5	M16×1,5	8,2	32	30	9	5,7	30	25,5	20	27	145