


**Gr. II Bomba engranaje/Tapa Bosch/eje cónico 1:5
/ Brida alemana**



Presión: ØE = 15 ; X = M6
Referencia giro: BTD...I=Referencia giro izquierda
BTD..D=Referencia giro derecha
Min 500 rpm
Brida y tapa: Hierro fundido

Artículo	Ø ASP. (mm)	Ø PRES. (mm)	Pres. max. (bar)	Pres. punta (bar)	R.P.M. Max	cm ³ / rev	ØA	ØB	ØD	A	B	W
BTD260D04	40	35	250	300	3500	6	40	35	15	99	45	M6
BTD280D04	40	35	250	300	3500	8	40	35	20	102	46,5	M6
BTD2120D04	40	35	250	300	3500	12	40	35	20	108	49,5	M6
BTD2140D04	40	35	250	300	3500	14	40	35	20	111	51	M6
BTD2160D04	40	35	250	300	3500	16	40	35	20	114	52,5	M6
BTD2200D04	40	35	250	300	3500	20	40	35	20	121	56	M6
BTD2230D04	40	35	200	250	3000	23	40	35	20	125,5	58,3	M6






Bombas de engranajes
Bombas engranajes Grupo II Derecha

**Gr. II Bomba engranaje/Tapa Bosch/eje cónico 1:5
/ Brida alemana**

Artículo	Ø ASP. (mm)	Ø PRES. (mm)	Pres. max. (bar)	Pres. punta (bar)	R.P.M. Max	cm³/ rev	ØA	ØB	ØD	A	B	W
BTD2250D04	40	35	200	250	3000	25	40	35	20	128	59,5	M6
BTD2280D04	40	30	160	200	3000	28	40	30	20	133	62	M8

ØA, ØD, W = Aspiración
ØB, ØE, X = Presión
Par de apriete 45-50 Nm



Presión: ØE = 15 ; X = M6

Referencia giro: BTD...I=Referencia giro izquierda
BTD..D=Referencia giro derecha
Min 500 rpm

Brida y tapa: Hierro fundido

Artículo	Ø ASPIRACIÓN (mm)	Ø PRESIÓN (mm)	Pres. max. (bar)	Pres. punta (bar)	R.P.M. (max)	cm³ / rev	ØA	ØB	ØD	A	B	W
BTD260I04	40	35	250	300	3500	6 CC	40	35	15	99	45	M6
BTD280I04	40	35	250	300	3500	8 CC	40	35	20	102	46,5	M6
BTD2120I04	40	35	250	300	3500	12 CC	40	35	20	108	49,5	M6
BTD2280I04	40	30	160	200	3000	28 CC	40	30	20	133	62	M8
BTD2140I04	40	35	250	300	3500	14 CC	40	35	20	111	51	M6
BTD2160I04	40	35	250	300	3500	16 CC	40	35	20	114	52,5	M6
BTD2200I04	40	35	250	300	3500	20 CC	40	35	20	121	56	M6



Bombas de engranajes
Bombas engranajes Grupo II Izquierda
Tapa Bosch/eje cónico 1:5 brida Bosch Gr. II

Artículo	Ø ASPIRACIÓN (mm)	Ø PRESIÓN (mm)	Pres. max. (bar)	Pres. punta (bar)	R.P.M. (max)	cm³/ rev	ØA	ØB	ØD	A	B	W
BTD2230I04	40	35	200	250	3000	23 CC	40	35	20	125,5	58,3	M6
BTD2250I04	40	35	200	250	3000	25 CC	40	35	20	128	59,5	M6

ØA, ØD, W = Aspiración
ØB, ØE, X = Presión